

AS72 Infield Groomer

2022

**Multi Purpose
Infield Grooming
and Maintenance
Machine.**

All Star Groomer AS72
**Levels, Mixes, Smoothens,
Breaks Up Hard Infields, and More!**

*Provides Athletes with Safer, More Consistent Playing
Conditions, and Saves Labor.*



**Shown Below is "Standard Equipment" When You Order the AS72 Groomer.
Plus You Choose the Electric Lift System That's Best for You!**

All Star Groomer AS72

Helping Those Who Help Others Play!

*We Offer the Most Complete Line of
"Operator Lift Control Systems" on the Market!*

6 Operator
"Lift Control
Systems"
Available:

*Choose the "Lift Control System"
that's best for you!*

Customer chooses "Operator Control System"
See following pages for details.



VibraTine available. Shatter, pulverize, loosen and rejuvenate top surface with our exclusive Spring Tine Scarifier option.



Levels infields without disturbing the important layering between the top infield material and the lower sub soil layer.

99% of Assembly Done at Factory!



Heying Company Alton, Iowa 51003
Ph. 712.756.8847 Fax 712.756.8849 www.HeyingCompany.com www.Infield-Drag.com

Key Benefits AS72

- Levels - Mixes - Smoothens
- Leveling Implement “Locks into position to guarantee leveling takes place”
- Cuts High Areas and Fills Low Areas
- Reduces Need for Hand Raking
- Breaks up hard infields
- Maintains safer playing surface
- Deters water puddling
- Controls Weeds
- Heavy Duty Steel Construction
- Powder Coated finish
- Pull with a variety of towing machines
- No tools needed to adjust engineering
- Works on all infield materials
- Built Heavy Enough to Perform
- Easy to Use
- Affordable
- Saves Labor



1) Level

Leveling Implements “Lock into a Grading-Leveling Position”.
So called “Floating Leveling” implements do not level infields.

2) Smoothen

Smooth, Professional Playing Surface.
Our finishing brooms made of tough poly bristles for long wear.

3) Pulverize

Pulverize extremely hard infields.

No Tools
Engineering!
Needed

“We Make Dirt Look Good”

Helping Those Who Help Others Play!

Warranty (in a nutshell): Heying Company machines carry the following warranty on parts and workmanship, to be free of defects, under normal and intended use and service conditions, of:

Three (3) years parts and workmanship on Heying Company manufactured parts.




One (1) Year on parts not manufactured by Heying Company, including but not limited to:

Wheels, brushes, electrical cylinder (actuator), electric system parts, wireless remote control systems, switches, batteries, chargers, etc.

Excluded is this warranty is Normal Wear and Tear on Parts resulting from natural and intended use.

(Note: Warranty above is a partial writing - for a complete warranty please inquire. If you discover a better warranty on similar equipment we would like to see it).

Accessories & Options

ASCH-5825	ASST-6800	PATS-2000	ALDM-7236	ALDM-7238
<p>Chisel-Scarifier In-Season Hard Infields. Recommended for the approx. 20% of infields that become extremely hard. Should only be used to pulverize the very top portion of infields (1/2" or so) during the season. Off-Season. Capable of deep till to depth up to 2-3/4" to mix material, remove weeds, etc.</p> <p><i>Note: Due to the power needed to operate the Chisel-Scarifier it cannot be used while grooming (it's a separate step in the process of infield care).</i></p> 	<p>Spring Tine-Scarifier</p> <p>Electric Lift Machines Only</p> <p>Two rows of staggered spring tines.</p> <p>Each row independently adjustable (without tools) to different angles. Mounts to front of the groomer.</p> 	<p>Tongue Stand</p> <p>Connects behind the hitch, on the tongue. When the groomer is unhooked the stand keeps the end of the tongue off of the ground and it folds out of the way during grooming. When storing the groomer on concrete the caster wheel allows for easy movement of the machine around the storage area.</p> 	<p>Drag Mat</p> <p>Steel Drag Mats are especially useful when breaking up hard infields.</p> <p><u>Two Choices of widths.</u> 72" wide x 36" deep (same width as 72" Broom) 72" wide x 36" deep (overlaps 72" Broom)</p> <p>Option includes our exclusive brackets that not only pull the drag mat during use but also hold the rolled mat during travel off the field. No tools needed to adjust or remove the mat.</p> 	
<p>Chisel-Scarifier. Pulverizes & shatters infields that become very hard and compacted to improve playability. Exclusive abrasion resistant steel teeth. Completely depth adjustable. Teeth easy to replace when needed. Quickly mounts to frame without tools. Broom & Drag Mat can be mounted behind Chisel. (same way it connects to Leveling Implement).</p> 		<p>PACP-1875 (1-7/8")</p> <p>PACP-2000 (2")</p>	<p>Exclusive Drag Mat Brackets pull, carry and haul the drag mat.</p>  <p>72" wide mat is same width as 72" Rear 2-Brush Smoothing Broom.</p> <p>78" wide mat overlaps the 72" Rear 2-Brush Broom at each end.</p>	
		<p>Ball Coupler Hitch 1-7/8" or 2"</p> <p>Coupler sizes available. Easily mounts to end of tongue.</p> 		

ALWP-1212	AL-E-098	ALSB-1212	ALPW-1212
<p>Additional "HW" wiring pkg.</p> <p>When you order a "HW" machine it ships with a complete wiring package to wire one tow machine and the groomer.</p> <p>If you wish to wire an additional tow machine to operate the groomer you can order this option. It includes all necessary wiring to wire one additional tow machine to accept the connection from the groomer.</p>  	<p>Additional "WR" or "PW" Transmitter</p> <p>For customers who want an extra transmitter on hand.</p> <p>We stock Transmitters</p> 	<p>"SB" Switch Box Control System</p> <p>For "WR", "PW" and "HW" lift systems this "SB" can be used as a backup system. For example, the "HW" system is "hard-wired" to one specific towing machine. In this case you may wish to have a backup operator system in case the towing machine that is wired for the groomer is not functional. This option also useful as a backup for the "WR" or "PW" systems in the case of a dead battery, lost transmitter, etc.</p> 	<p>"PW" Portable Wireless Backup Control System</p> <p>Consider the portable "PW" operator system as a backup for "WR", "SB" or "HW" systems. If any problem arises with your original operating system (broken wire, misplaced transmitter, dead groomer battery, etc.) this alternate "backup" system can bypass the original operating system (except cylinder) and operate the groomer. Uses temporary clamps to attach to your tow machine 12v battery. Offers peace of mind that a backup control system is on hand if ever needed. Complete pkg.</p> 



6 Lift Systems & How They Work in a nutshell

<p>12v Battery Included</p> <p>Wireless</p>  <p>WR₂₂</p> <p>Complete 12 Volt Electric System On-Board Groomer</p> <p>Does not use Tow Machine Battery.</p> <p>Includes 12 Volt Battery, 2.0 amp Battery Charger and Battery Monitor</p> <p>12 Volt Battery On Groomer</p> <p>Includes all-in-one Emergency Rocker Switch & Cord 11.5 ft. long</p>	<p>Battery On Groomer Model No. PR72-WR.</p> <p>Wireless Remote Control. 12V Battery and Elec System On-Board the Groomer.</p> <p>No wires to attach to your Tow Machine. 12 Volt battery, wireless transmitter & receiver system, 2.0 amp battery charger, and battery monitor. Great choice for ease of use, convenience, and all day use. Includes emergency 11.5 ft. long all-in-one Rocker Switch & Cord (use as emergency / temporary backup control).</p> <p><i>Note: SG system also has a 12v battery on board the groomer.</i></p>
<p>12v Battery Included</p> <p>Corded SwitchBox</p>  <p>SG₂₂</p> <p>Powered by 12v Battery On Groomer</p> <p>Does not use Tow Machine Battery.</p> <p>12 Volt Battery On Groomer</p> <p>12 ft. Wire</p> <p>5 ft. Wire</p> <p>4 Way Groomer Tongue Wire & Power Harness provides power from battery to switchbox and back to electric cylinder.</p>	<p>Battery On Groomer Model No. PR72-SG. New in 2022</p> <p>Corded SwitchBox Control. 12V Battery On-Board Groomer. Does not use 12v battery of your Tow Machine. Corded system. Weather sealed SwitchBox. 2 Extension Wires to work for all tow machines. Groomer tongue wire connects to extension wire at rear of tow machine. Good choice for all day use. <i>Note: WR is the only other system that has a 12 volt battery on-board the groomer.</i></p> <p><i>Can also be used as a backup operating system.</i></p>
<p>No 12 Volt Battery.</p> <p>Corded SwitchBox</p>  <p>SB₁₉</p> <p>Powered by Tow Machine Battery</p> <p>Does not use Tow Machine Battery.</p> <p>12 Volt Battery On Groomer</p> <p>12 ft. Ext. Wire</p> <p>5 ft. Ext. Wire</p> <p>Store Electric System Parts in Battery Compartment.</p> <p>Battery Case is included.</p> <p>Tow Machine Battery</p>	<p>Uses Battery of Tow Machine Model No. PR72-SB. Corded SwitchBox. Uses Tow Machine 12v Battery. Corded system with Weather sealed SwitchBox. Power Harness connects to tow machine battery with portable alligator clamps. Includes 2 Extension Wires to work for all tow machines. Groomer tongue wire connects to extension wire at rear of tow machine.</p> <p><i>Can also be used as a backup operating system.</i></p>
<p>No 12 Volt Battery.</p> <p>Portable Wireless</p>  <p>PW₂₂</p> <p>Portable Power Harness</p> <p>Does not use Tow Machine Battery.</p> <p>12 Volt Battery On Groomer</p> <p>Tow Machine Battery</p> <p>Groomer Tongue Wire</p> <p>Includes all-in-one Emergency Rocker Switch & Cord 11.5 ft. long</p>	<p>Uses Battery of Tow Machine Model No. PR72-PW. "Portable" Wireless</p> <p>Remote Control. Uses Tow Machine 12v Battery. Same wireless control system as the "WR". Power Harness connects to tow machine battery with portable alligator clamps. Power supplied to wireless receiver on groomer through groomer tongue wire connected at rear of tow machine. Includes emergency 11.5 ft. long all-in-one Rocker Switch & Cord (use as emergency / temporary backup control).</p> <p><i>Can also be used as a backup operating system.</i></p>
<p>No 12 Volt Battery.</p> <p>Hard-Wired</p>  <p>HW₂₁</p> <p>Rocker Switch Installed in Dash of Tow Machine</p> <p>Power Harness</p> <p>Does not use Tow Machine Battery.</p> <p>12 Volt Battery On Groomer</p> <p>Tow Machine Battery</p> <p>Groomer Tongue Wire</p> <p>Tow Machine Wire</p> <p>Store Tools, etc. in Battery compartment.</p> <p>Battery Case is included.</p>	<p>Uses Battery of Tow Machine Model No. PR72-HW. Hard-Wired into your tow machine. Uses Tow Machine 12v Battery. Dash-Mounted Rocker Switch to control the electric lift. You dedicate a specific tow machine to be wired. Includes all wiring, switch, connectors, etc. for one tow machine. Want to use other tow machines when needed? Order optional partial wiring system to wire another tow machine or order an optional backup system.</p> <p><i>Note: your tow machine must have a knock-out switch location available on the dash for rocker switch or cut your own opening.</i></p>
<p>Rear Turnbuckle Makes Fine Adjustments to Implements</p> <p>Manual Lift</p>  <p>MN₀₁</p> <p>Notched Quadrant Allows Quick Adjustment to Multiple Settings</p> <p>Grip and Squeeze Locking Pin and Handle to Raise / Lower Lift Arm. Then Release to Lock in Place.</p> <p>Mounts to Groomer Frame</p>	<p>Model No. PR72-MN. Manual Lift. Includes our exclusive "posi-lock" design. Complete manual operation of lifting and lowering of implements on the groomer. Lift Arm provides adequate leverage to lift / lower. Quadrant assembly is notched for quick adjustments and always allows you to return to your previous setting. Fine adjustments made with Turnbuckle. <i>Note: Grooming adjustments cannot be made on the fly. You must stop to make any adjustment.</i></p>



"WR" Wireless Remote Control + On-Board 12v Electric System

WR₂₂

Wireless remote operator control with On-board 12v battery provides the ultimate in user ease and flexibility. Exclusive wireless remote transmitter and receiver, on-board 2.0 amp battery charger, battery monitor (alerts when battery needs charged), plastic battery case, sealed connectors, emergency bypass rocker switch & cord, and 2 manual tools.

Most Popular

Nothing Else like it on the market!



Advantages: Exclusive "one-of-a-kind" control system....only offered by Heying Company! Made in USA!

- Wireless Remote (hand held transmitter) Control - the Ultimate in user convenience (receiver mounts inside battery compartment).
- The wireless remote control has immediate response when a button is pressed. It never goes to sleep like many other wireless systems.
- Pull with a variety of tow machines. Can quickly switch from one tow machine to another. On-board electric system is completely self contained.
- On-board 2.0 amp battery charger has safe technology so it can (and should) be plugged in whenever the groomer is not being used.
- On-board battery monitor emits an audible alert when the battery needs to be charged.
- No wiring needed to user tow machine. No Cords.
- Corded Auxiliary Switch (and cord) included. 11 ft. long. Use to operate electric lift if transmitter is misplaced. Stores inside battery case.
- On-board electric system also makes it easier to move the groomer even when it's not connected to a tow machine (such as inside a storage shed).
- Disadvantage: (Not really a disadvantage) User needs to keep the on-board battery charged. Just plug in the battery charger (use a standard 120v cord).



Great Backup Control

Worried about losing the Transmitter? System comes with 11.5 ft. long Corded Rocker Switch and two (2) manual wrenches that can be used in an emergency to manually raise / lower the electric cylinder. **Consider a "Backup Control System"**. Customers who run tournaments or those who just want the peace of mind that they can operate the groomer if they have any problems (misplaced transmitter, dead battery, etc.)...will consider the "SB" Backup Operating System. The "SB" System is portable and can connect to any tow machine 12v battery. It's not used on a daily basis. Rather, it's stored, and used only when there is a problem with the main control system. It will override / bypass the entire original electric system (except the Cylinder).





Corded SwitchBox Control powered by 12V Battery On-Board the Groomer.

SG₂₂


12 volt battery on-board the groomer means your tow machine battery is not used to power the system. This is a good choice for those who need to use the groomer all day long - **so they don't wear down their tow machine battery.** Note: WR is the only other system that has a 12 volt battery on-board the groomer.

New in 2022



How it Works. Power starts at the groomer battery. The 4 Conductor Tongue & Power Wire runs 2 way power towards the operator (through whichever extension wire is used) and onto the SwitchBox. From switch 2 way control is returned to the actuator on groomer.

The 12 ft. length extension wire is popular with customers who have UTV type tow machines. The 5 ft. length extension wire is popular with customers who have shorter tow machines such as garden tractors.



Advantages: 12 volt electric system completely on-board the groomer provides all the power needed for lift / lower functions.

Your tow machine battery is not needed to power the groomer electric lift (doesn't wear down your tow machine battery). Provides all day use.

On-board 2.0 amp battery charger has safe technology so it can (and should) be plugged in whenever the groomer is not being used.

On-board battery monitor emits audible alert when the battery needs to be charged.

Versatile, Easy to Use, and Portable. Pull groomer with a variety of tow machines. Made in USA!

Disadvantages: Inconvenience of having cords. Must pay constant attention to protecting the cords during use.

Note: This SG System is one of two systems we offer with 12 volt battery on-board the groomer (WR is the other).





Corded SwitchBox Control powered by your Tow Machine 12v Battery.
Hand held corded SwitchBox controller connects to the user's tow machine 12v battery (with alligator clips) to supply power to the electric lift on the groomer. Portable. Easy to move from one tow machine to another.
 Includes two extension wires. **12 ft. long extension wire popular with customers who have long UTV's and the 5 ft. long extension wire popular with customers who have shorter tow machines such as garden tractors.**
Can be used as a everyday lift control system, or, as an optional backup to other operator lift control systems.

SB₁₉

SB

AL-E-105
 Convoluted Split Loom. 8 ft. x .350
 Use to protect Power and Ground Wire Harness.

AL-E-578 12 ft. Extension Wire (often used for larger tow machines).

AL-E-577 5 ft. Extension Wire (often used for shorter tow machines such as garden tractors, 4-wheelers, etc.)

AL-E-101
 SwitchBox 2 x 2
 Power & Control

AL-G-094
 Zip Ties

AL-G-012
 Zip Tie Inserts

AL-E-575 Fused Power & Ground Wire Harness with Alligator Clips & Female Receptacle. 8 ft. long.

AL-E-576
 Groomer Tongue Wire (70") with Split Loom

AL-E-067
 Extra 30 Amp Slow Burn Fuse

AL-E-035
 Ring Terminals 3/8"

AL-E-038
 Butt Splice 14-16

AL-E-002 Battery Case, Lid and Fabric Strap Large Group 24-31

AL-E-502
 Model 600-675 Actuator (with 12-14 Male Plug)

AL-G-509 Manual Bent Wrench. Emergency Tool

AL-H-070 Manual Hex Drive Bit with 3/8" Sq. Socket. Emergency Tool

AL-G-107 Cable Clamps .406 x .50
 AL-G-015 Cable Clamp .406 x 1.00

Advantages:

Versatility to quickly switch to a different tow machine (control system is portable).

SwitchBox is completely weather sealed (unlike anything on the market). Made in USA!

Two "Cylinder Extension Wires" included (5 ft. and 121 ft.) so the user can decide which works best for their use.

Ability to be used as a primary (everyday) lift control system or as a backup to other operator lift control systems (use when needed).

No battery on-board the groomer to worry about (but it does need power from your 12v tow machine).

We include a battery compartment (even though a battery is not included). Very useful to store control parts and tools.

Disadvantages:

Inconvenience of having cords. Must pay constant attention to protecting the cords during use.

Big Users (who have lots of grooming) could experience this system wearing down the battery of their tow machine.

This system requires power from user tow machine. User cannot raise and lower implements without being attached to tow machine for power.

Since power is supplied by a tow machine the groomer is more difficult to move around storage shed, etc.

Note: We have 2 Systems (WR and SG) that provide 12 volt power from the groomer so they don't need power from your tow machine.





“PW” Portable Wireless Remote Control.


PW₂₂

Same wireless Transmitter - Receiver as the “WR” but uses 12v battery of user’s Tow Machine for power. Includes portable power harness that connects to tow machine battery. The groomer also has a connection harness.

These two wires connect at the rear of the tow machine to power the electric system.

“Worried about losing the Transmitter”? We include a corded auxiliary rocker switch & cord that can be used as a temporary backup control of the electric lift if you misplace the wireless transmitter.

Unlike anything else on the market!



Advantages:

Wireless Remote Control System for “the Ultimate in User Convenience” at a lower price than the “WR”.

The wireless remote control has immediate response when a button is pressed. It never goes to sleep like many other wireless systems.

Lighter weight than the “WR” system (No battery so is not as heavy to lift the tongue). Advantage especially for those who want the Spring Tine Scarifier on their groomer (Spring Tine Scarifier mounts to front of machine thus adding weight to the Tongue).

Portable System. Pull with a variety of 12 volt tow machines. Can quickly switch from one tow machine to another.

Disadvantages:

Inconvenience having to plug in the connector (when connecting to tow machine) and unplugging connector behind tow machine (when unhooking).

For some big users (lot of fields or lots of grooming on fewer fields) this system could wear down the battery of the tow machine.

If this is a concern then consider the “WR” system.

This system requires power from user tow machine 12v battery. User can’t raise or lower implements without being attached to tow machine for power.

Note: The “WR” is the only system that does not require power from user tow machine.



Great Backup Control

Worried about losing the Transmitter? System comes with 11.5 ft. long Corded Rocker Switch and two (2) manual wrenches that can be used in an emergency to manually raise / lower the electric cylinder. **Consider a “Backup Control System”.** Customers who run tournaments or those who just want the peace of mind that they can operate the groomer if they have any problems (misplaced transmitter, dead battery, etc.)...will consider the “SB” Backup Operating System. The “SB” System is portable and can connect to any tow machine 12v battery. It’s not used on a daily basis. Rather, it’s stored, and used only when there is a problem with the main control system. It will override / bypass the entire original electric system (except the Cylinder).



Heying Company Alton, Iowa 51003 Ph. 712.756.8847 Fax 712.756.8849
www.HeyingCompany.com www.Infield-Drag.com



“HW” Hard-Wired Operator Lift Control System (12v only)

HW₂₁

System uses 12v battery of your tow machine. Includes all necessary wiring, in-dash mountable rocker switch, electric cylinder (actuator), fuse holder, fuse, wire, connectors, protective split loom, cable clamps, and zip ties.

For users who have a tow machine with a dash panel that will accept a Rocker Switch, who want the convenience of a dash mounted rocker switch, and who want to always use the same tow machine to pull and operate the groomer this is the operator system of choice. Note: Optional additional wiring package available for users who wish to wire more than one tow machine to pull and operate the groomer. See optional “HW” tow machine wiring package information.

AL-E-102
8 ft. of .350
Convoluted
Split Loom.
Use to protect
Power Harness.

AL-E-103
16 ft. of .350
Convoluted
Split Loom.
Use to protect wire
when installed
inside tow ma-
chine.

AL-E-512
Tongue Wire
70". Female
Receptacle one
end and Red
SMS Connector
at other end.
AL-E-014
Rubber Cover



AL-E-002 Battery
Case, Lid and
Fabric Strap
Large Group 24-31

AL-E-502 Model
600-675 HD
12 Volt Electric
Actuator.
With special square
drive shaft on gear case
for emergency manual
operation.

AL-E-011 Dash
Mount Rocker
Switch Momentary
4 Contact. Fits hole
size range of: .820"
to .830" wide X .142"
to .148" high.

AL-G-509 Manual
Bent Wrench.
Emergency Tool

AL-H-070 Manual
Hex Drive Bit with
3/8" Sq. Socket.
Emergency Tool

AL-E-513 16 ft. Switch to Rear of
Tow Machine Wire. Blue push-on
connectors & Red SMS Connector.
AL-E-014 Rubber Cover.

AL-E-514 8 ft. Power Harness.
Switch to Battery of Tow
Machine. 3/8" Ring Terminals
and Red SMS Connector.

AL-E-067
Extra
Fuse

AL-E-089
Push-On
Connectors
Crimp Only

AL-E-029
Push-On
Connectors
Heat Shrink

AL-G-012
Zip Tie
Push in
Inserts

AL-G-107
Cable
Clamp
.406 x .50

AL-G-015
Cable
Clamp
.406 x 1.00

Advantages: Rocker Switch is installed on dash of Tow Machine for convenience.

Easy to use connectors at the groomer tongue and rear of tow machine.

Disadvantages: User must dedicate a specific tow machine to always pull the groomer. Or, order additional wiring packages for more tow machines. You can also consider an optional SB or SG or PW System to use as a portable backup for when the original dedicated tow machine is not available to pull the groomer.


See optional accessories).

Big Users (who have lots of grooming) could experience this system wearing down the battery of their tow machine.

Since power is supplied by a tow machine the groomer is more difficult to move around storage shed, etc.

Note: The “WR” and “SG” systems have 12v batteries on-board the groomer. They do not need to connect to the user’s Tow Machine to power the groomer.

How it Works



Great Backup Control

“HW”. Concerned about having only one Tow Machine able to operate the groomer? Consider an additional “HW” Wiring package (optional) to wire a second Tow Machine. Or consider a “Backup Control System”. Customers who run tournaments or those who just want the peace of mind that they can operate the groomer if they have any problems (misplaced transmitter, dead battery, etc.)....will consider the “SB” Backup Operating System. The “SB” System is portable and can connect to any tow machine 12v battery. It’s not used on a daily basis. Rather, it’s stored, and used only when there is a problem with the main control system. It will override / bypass the entire original electric system (except the Cylinder).



Heying Company Alton, Iowa 51003 Ph. 712.756.8847 Fax 712.756.8849
www.HeyingCompany.com www.Infield-Drag.com

“MN” Manual Lift Control System


Manual “Posi-Lock” Lift Arm Control System.

For customers who simply want a manual lift Pro Groomer.

Includes a Locking Pin on the Lift Arm. Squeeze the locking pin while pulling down on the lift arm raises the Leveler and all other Implements.

When released, the locking pin falls into slots in the “posi-lock” quadrant and holds the implements in a downward locked position during use and locks the implements in a raised position when traveling on and off the field.

After the locking pin is “locked” in position fine adjustments can be made to the implements with the Turnbuckle.



Heaviest on the Market!

MN System

Heavy Duty Manual Lift.

Completely adjustable.

Advantages:

Low Cost

Easy to operate.

No wiring needed to user tow machine.

Disadvantages:

User must stop when arriving on the infield to lower the implements by hand using the manual lift.

User must stop before leaving the infield to raise the implements for travel.

No ability to make adjustments on the fly like the electric lift models.